## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/15/2016 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING			(X3) DATE SURVEY COMPLETED	
						R	
		155297	B. WING			01/14/2016	
NAME OF PROVIDER OR SUPPLIER				STREET ADD	RESS, CITY, STATE, ZIP CODE		
MILLER'S HEALTH & REHAB BY MILLER'S MERRY MANOR				1007 LINCOLNWAY			
MILLER O HEALTH & INCHAS DT MILLER O MERKY MARON				LA PORTE,	LA PORTE, IN 46350		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	- '	PROVIDER'S PLAN OF CORRECTIC (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	INITIAL COMMENTS		{F 0	00}			
		the Recertification and ey completed on December					
	Review date: January 14, 2016						
	Facility number: 000194						
Provider number: 155297							
	AIM number: 100267	7790					
	Manor was found to be CFR Part 483, Subparegard to the paper c	abilitation by Miller's Merry be in compliance with 42 art B and 410 IAC 16.2-3.1 in ompliance review to the tate Licensure Survey.					
I ABORATORY	DIRECTOR'S OR PROVIDER/	SUPPLIER REPRESENTATIVE'S SIGNATUI	RF	1	TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.